## PassTest Bessere Qualität , bessere Dienstleistungen!



Q&A

http://www.passtest.de Einjährige kostenlose Aktualisierung Exam : 000-434

Title : IBM Tivoli Netcool

Performance Manager for

Wireless V9.1.2

Version: Demo

1. Which two applications must be running before the IBM Tivoli Netcool Performance Manager for
Wireless application can be started properly? (Choose two.)
A. Mediation Service
B. (SAP) Process Monitor
C. Process Control Agent
D. LDAP Directory Server
E. DataLoad SNMP Collector
Answer: BD
2. Which component of IBM Tivoli Netcool Performance Manager for Wireless requires Perl v5.6.1?
A. adapter
B. gateway
C. database
D. report templates
Answer: B
3. When configuring multiple identical loaders, which two entries in the processes- <loader>.properties file</loader>
must be changed to differentiate the new loader? (Choose two.)
A. host
B. name
C. params
D. pmgtprovider
E. sequence number
Answer: BE
4. Once the gateway has generated and transferred the lif files, which log file indicates it was loaded
successfully?
A. \$WMCROOT/logs
B. \$WMCROOT/admin/logs

C. \$WMCROOT/logs/loader

D	\$\\\\\	/CRC	OT/c	wavs	config
υ.	D A A I	n	JU 1/U	ıwav5/	COLLIA

Answer: C

- 5. Which agent controls the synchronizing of the directory server with the configured data source?
- A. DB\_SYNC
- B. DS\_SYNC
- C. LDAP\_SYNC
- D. DICTIONARY\_SYNC

Answer: C

- 6. Which component of the IBM Tivoli Netcool Performance Manager for Wireless system is used to connect an IBM Tivoli Netcool Performance Manager for Wireless user to the data source?
- A. xml schema
- B. WebServices Layer
- C. data source adapter
- D. Application Framework

Answer: D

- 7. Which software module is essential to the basic functioning of the IBM Tivoli Netcool Performance Manager for Wireless performance management solution?
- A. Adapter Layer
- B. Bulk Data Loader
- C. WebServices data source adapter
- D. Extraction, Transformation and Loading (ETL) Data Layer

Answer: D

- 8. What are two valid response file variables? (Choose two.)
- A. LOADER\_INSTALL
- B. GATEWAYS\_INSTALL
- C. DS\_SCHEMA\_INSTALL

D. GATEWAYS\_CONFIGURE

E. DS\_SCHEMA\_CONFIGURE

Answer: BC

- 9. What are two valid response file variables? (Choose two.)
- A. DB\_CMD\_LINE
- B. SCHEMA\_CMD\_LINE
- C. DB\_INSTALL\_CMD\_LINE
- D. LOADER\_INSTALL\_CMD\_LINE
- E. SCHEMA\_INSTALL\_CMD\_LINE

Answer: CE

- 10. What does the UserConfig.pm file manage?
- A. the loading of .lif files into the database
- B. the loading of .pif files into the database
- C. the post-parsing of data files to create a .lif file
- D. the post-parsing of data files to create a .pif file

Answer: C

- 11. Which directory is used for vendor-specific gateway files?
- A. vstart
- B. config
- C. modules
- D. gateway-framework

Answer: B

- 12. What is a mandatory stage within the gateway framework?
- A. Engine
- B. Aggregation
- C. Pre-Conversion

D. Data Generation
Answer: A
13. What is a mandatory stage within the gateway framework?
A. Aggregation
B. Post Parser
C. Pre-Conversion
D. Data Generation
Answer: B
14. Which database table uniquely characterizes a set of data for a particular technology and vendor?
A. lc_ruleset
B. Id_ruleset
C. lc_relations
D. ld_relations
Answer: A
15. Which database table defines the load mapping of blocks of data for a specific rule set to tables in the
database?
A. lc_relations
B. Id_relations
C. lc_loadmap
D. Id_loadmap
Answer: C
16. Each subsystem of the Technology Pack architecture consists of a file or set of files to configure it.
Which xml files are required to configure the metalayer of a Technology Pack?
A. main.xml and <entity_name>.xml files</entity_name>
B. main.xml and relations_ <techpack>.xml files</techpack>
C. relations_ <techpacks>.xml and <entity_name>.xml files</entity_name></techpacks>

D. relations_ <techpack>.xml and datasource_<techpack>.xml files</techpack></techpack>
Answer: A
17. What does the main.xml file define?
A. the relationship between the entity info, file type, and table definition
B. the relationship between the module info, loader type, and field name
C. the relationship between the entity info, table definition, and field name
D. the relationship between the module info, table definition, and field name
Answer: D
18. What does the report template that comes with a Technology Pack contain?
A. only datasource, entity type, and fields
B. datasource, entity type, fields, and filtering
C. datasource, entity type, fields, and extended function
D. datasource, entity type, fields, and date-time selection
Answer: A
19. Under the \$WMCROOT/admin/techpacks/ <tp_name>/<datasource_name>/ directory, which</datasource_name></tp_name>
type of xml file is not customizable?
A. metalayer/*.xml
B. loadmaps/dataavailability_<*>.xml
C. summaries/SummaryInstance.xml
D. busyhours/BusyHourInstance.xml
Answer: A
20. Given the following sample block of lif file:
TYPE_290 {
C145A 23
C145B 599

C145C 200

```
BSC_NAME BACH4_1

BTS_INDEX 20

CELL_CI 57219

}
Which table will store the value of C145A traffic counter?

A. NC_BSC

B. NC_CELL

C. LC_LOADMAP
```

Answer: D

D. ALC\_CELL\_INT\_TAB