

# ***PassTest***

Bessere Qualität , bessere Dienstleistungen!



## **Q&A**

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam : 000-892**

**Title : IBM Tivoli Deployment  
Professional - Tivoli NetView  
Implntn**

**Version : DEMO**

**1.After uninstalling NetView for Windows, what additional step may be required to complete the uninstall process?**

- A.Delete the usr directory.
- B.Reinstall the service pack.
- C.Reinstall the SNMP service.
- D.Delete the NetView server icon from the Tivoli desktop.

**Correct:A**

**2.What is the function of the chktrapd script on NetView for UNIX?**

- A.Add new trap configurations.
- B.Identify trapd.log files that exceed a specific size.
- C.Identify possible trap configuration migration errors.
- D.Delete all trap configurations that are no longer supported.

**Correct:C**

**3.What command provides the most comprehensive test for proper operation of the SNMP agent and proper configuration of the SNMP configuration on a NetView machine?**

- A./usr/OV/bin/snmpget
- B./usr/OV/bin/snmpctest
- C./usr/OV/bin/snmpnext
- D./usr/OV/bin/snmpwalk

**Correct:D**

**4.In which two situations should a Mid-Level Manager be utilized? (Choose two).**

- A.When there is a need for trap filtering.
- B.When several different maps need to be created.
- C.When a map is divided into two or more container objects.
- D.When there are a wide variety of managed network devices.
- E.When there are managed devices beyond a firewall that does not allow ping or SNMP from your NetView Server.

**Correct:A E**

**5.Which two statements are correct about installing the Web Console? (Choose two).**

- A.There is no standalone Web Console application for Linux.
- B.The standalone Web Console can be downloaded from the NetView server using a web browser.
- C.If the Web Console standalone client is installed, it should be reinstalled if a NetView fix pack is applied.
- D.The standalone Web Console application must always be downloaded with an included Java Runtime Environment.
- E.A web browser plug-in is required and available for AIX, Solaris, Linux, and Windows platforms to support the NetView Web Console in a browser.

**Correct:B C**

**6.Which factor is a consideration in sizing memory for a NetView Server?**

- A.network speed
- B.number of processors
- C.type of operating system
- D.number of interfaces to be managed

**Correct:D**

**7.Which two features are supported in NetView for Linux? (Choose two).**

- A.Framework installation
- B.RuleSet Editor
- C.integration with Data Warehouse
- D.Agent Policy Manager
- E.export of snmpCollect data through a RIM interface

**Correct: B C**

**8.Which command tests local TCP/IP configuration?**

- A.ovstatus
- B.ping loopback
- C.ping broadcast
- D.ping 255.255.255.255

**Correct: B**

**9.Which step is necessary during the initial design phase of a NetView deployment?**

- A.Estimate ovwdb cache size.
- B.Estimate number of operators.
- C.Evaluate name resolution method.
- D.Evaluate need for NetView clients.
- E.All of the above

**Correct: E**

**10.When installing NetView for Windows, which of the three will you be prompted for? (Choose three).**

- A.Database type.
- B.The Administrator password.
- C.Path for NetView installation.
- D.Password for the NetView user.
- E.Drive on which to install NetView.
- F.SNMP community names to use as alternate defaults.

**Correct: D E F**

**11.Which action is required during installation of NetView for Windows?**

- A.Stop the SNMP service.
- B.Disable the network interface(s).
- C.Define a NetView user account named V?
- D.Define a password for the NetView user account.

**Correct: D**

**12.What optional file contains environmental variables used to control Netview daemons and is sourced before daemon startup?**

- A./usr/OV/bin/applsetup
- B./usr/OV/bin/netnrc.pre
- C./usr/OV/conf/nenv.conf
- D./usr/OV/bin/netnrc.aux

**Correct: B**

**13.NetView polling is causing excessive load on an SNMP-capable router. Which action may reduce the problem?**

- A.Create a SmartSet for routers.

- B.Increase the ICMP status polling interval.
- C.Change the SNMP community string to read-write.
- D.Reduce the maximum number of routing table entries retrieved.

**Correct:D**

**14.Which daemon must be running for MIB data collections?**

- A.nvcold
- B.netmon
- C.collectiond
- D.snmpCollect

**Correct:D**

**15.What must be done in order for traps from a device to be received by NetView?**

- A.The MIB-II variable sysTrapDestination in the device's MIB must be set to NetView's IP address.
- B.The device must be configured with NetView's IP address according to the manufacturer's directions.
- C.NetView's SNMP trap configuration program must be run so it can configure the device's trap destination table.
- D.Both of the MIB-II variables sysTrapDestination and sysTrapSeverity in the device's MIB must be set for all traps to be sent to NetView.

**Correct:B**

**16.What is required for NetView Web Consoles to connect to a NetView server?**

- A.Run the ovw onfigweb command.
- B.The webserver daemon must be running.
- C.The netviewd daemon must be running.
- D.Install a Java compiler on the remote workstations.

**Correct:B**

**17.Which two packets can be sent to an IP address by NetView's status polling mechanism? (Choose two).**

- A.TCP Sync packet
- B.UDP Ping packet
- C.ICMP Echo Request packet
- D.SNMP Get packet for sysUpTime
- E.SNMP Get packet for operational status

**Correct:C E**

**18.What are the valid alternative options for the Event Stream node in a rule set?**

- A.Pass and Block
- B.Accept and Reject
- C.Enable and Disable
- D.Forward and Return

**Correct:A**

**19.Without the use of scripts, what is one function of a rule set?**

- A.to change polling parameters
- B.to add selected objects to the seed file
- C.to set default web user security permissions
- D.to automatically remove events from the events display application

**Correct:D**

**20.What are two ways to recycle the SNMP daemon on AIX? (Choose two).**

A.reset\_snmpd

B.snmpd -restart

C.refresh -s snmpd

D.recycle -s snmpd

E.stopsrc -s snmpd; startsrc -s snmpd

**Correct:C E**