PassTest Bessere Qualität , bessere Dienstleistungen!



Q&A

http://www.passtest.de Einjährige kostenlose Aktualisierung Exam : 050-V70

Title: RSA Data Loss Prevention

Certified System Engineer

7.x Exam

Version: Demo

- 1. Which of the following requirements must be met to successfully run the DLP 7.0 Enterprise Manager installation program?
- A. Minimum 2 gigabytes of available ram
- B. Minimum 10 gigabytes of available space
- C. Minimum Processor Speed of 1.950 GHZ
- D. All of the above

Answer: D

- 2.Users and Groups cannot be defined in the Enterprise Manager interface. y must be brought in from an external Microsoft Active Directory server.
- A. True
- B. False

Answer: B

- 3.RSA recommends that the RSA DLP Network Interceptor should not be the last MTA in the network before email is sent on to the Internet.
- A. True
- B. False

Answer: A

- 4. Which of the following is a new scan type available in RSA DLP Datacenter version 7.0?
- A. Site scan
- B. Resource scan
- C. Repository scan
- D. Coordinator Scan

Answer: C

- 5.RSA DLP Datacenter 7.0 can scan Oracle and SQL Server databases for sensitive information.
- A. True
- B. False

Answer: A

- 6.In DLP 7.0 and later, DLP Network Policy may be configured to allow an end user to release one of their own emails that were quarantined as a result of that DLP policy.
- A. True
- B. False

Answer: A

- 7. The only way to monitor and or block HTTPS web traffic in a DLP Network implementation is to:
- A. Use a third party Load Balancer.
- B. DLP Network can never monitor HTTPS.
- C. Use a third party email encryption server.
- D. Use a third party proxy that supports HTTPS such as Bluecoat.

Answer: D

8. Which of the following is a tool that can be used in the RSA DLP Suite to create new content des?

- A. The Entity Manager
- B. The Dictionary Manager
- C. The Fingerprint Manager
- D. The Described Content Manager

Answer: B

9. Which two RSA DLP Network Appliances could detect employee posting company confidential information to an online web forum? (Choose two)

- A. DLP Network Sensor
- B. DLP Network Controller
- C. DLP Network Interceptor
- D. DLP Network ICAPserver
- E. DLP Suite Fingerprint Crawler

Answer: A,D

- 10. Which of the following statements are true about DLP policies? ose two)
- A. Existing policies may be reordered.
- B. Existing policies cannot be changed. They must be deleted and new policies created to replace them.
- C. The DLP administrator cannot create new policies; new polices must be purchased from RSA.
- D. Datacenter policies can be changed without ever losing the incremental scan results and requiring a full scan.
- E. Network, Datacenter, or Endpoint sections of a policy can be individually disabled or enabled without affecting the other sections.

Answer: A,E