

# ***PassTest***

Bessere Qualität , bessere Dienstleistungen!



## **Q&A**

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam : 1T6-323**

**Title :** Microsoft Windows 2000  
Network Analysis and  
Troubleshooting

**Version : DEMO**

1. SNTP is a protocol used to:

- A. Replace NetBIOS
- B. Synchronize time
- C. Transfer mail
- D. Register and resolve host names

**Answer: B**

2. Which term describes a database of forest-wide information in Windows 2000?

- A. Global Catalog
- B. Tree
- C. Realm
- D. Domain

**Answer: A**

3. In \_\_\_\_\_, the concept of a read-only BDC is gone.

- A. Legacy NT 4 domains
- B. Active Services
- C. SMTP
- D. Active Directory

**Answer: D**

4. Which term describes a database of forest-wide information that holds an abbreviated listing of Active Directory Information?

- A. Trees
- B. Global Catalog
- C. Enhanced DNS
- D. Realms

**Answer: B**

5. True or False? In Windows 2000, BDCs are read-only controllers, just as with NT.

- A. True
- B. False

**Answer: B**

6. Kerberos is a protocol used to:

- A. Replace NetBIOS
- B. Access directory services
- C. Authenticate
- D. Register and resolve host names

**Answer: C**

7. \_\_\_\_\_ is accessed via LDAP protocols.

- A. LSARPC
- B. Active Directory
- C. HTTP
- D. Kerberos

**Answer: B**

8. WINS is \_\_\_\_\_ in a Windows 2000 environment.

- A. Available, but may be turned off
- B. Removed completely
- C. Used in preference to Active Directory
- D. Replaced by Browser protocol

**Answer: A**

9. Active Directory is a \_\_\_\_\_ directory service.

- A. Linear
- B. Flat
- C. Embedded object
- D. Hierarchical

**Answer: D**

10. Direct Hosting (SMBTCP) is a protocol "shim" used to:

- A. Replace NetBIOS
- B. Access directory services
- C. Authenticate
- D. Register and resolve host names

**Answer: A**

11. The LDAP protocol is used by a domain DHCP server to determine if it is \_\_\_\_\_.

- A. In a domain or workgroup
- B. Operating within its scope
- C. Using APIPA or RFC 1918 addresses
- D. Authorized to issue IP addresses

**Answer: D**

12. When a DHCP server comes on-line in a domain, it will query \_\_\_\_\_ to discover if it is authorized to provide DHCP services.

- A. Another DHCP server

- B. Active Directory
- C. Local routers
- D. APIPA clients

**Answer: B**

13. DHCP packet format is compatible with \_\_\_\_\_.

- A. SMB
- B. PPP
- C. SLIP
- D. BOOTP

**Answer: D**

14. DHCP Relay is used when:

- A. DHCP clients are separated by a router
- B. DHCP servers are separated by a router
- C. DHCP clients and servers are separated by a router
- D. DHCP server is also the DNS server

**Answer: C**

15. The image below is a view of the Sniffer Portable Summary window.

|   |      |                   |  |           |
|---|------|-------------------|--|-----------|
| 1 | srv1 | [255.255.255.255] | DHCP: Request, Message type: DHCP Inform | 0.000.000 |
| 2 | srv1 | [255.255.255.255] | DHCP: Reply, Message type: DHCP Ack      | 0.000.287 |
| 3 | srv1 | [255.255.255.255] | DHCP: Request, Message type: DHCP Inform | 8.012.313 |
| 4 | srv1 | [255.255.255.255] | DHCP: Reply, Message type: DHCP Ack      | 0.000.281 |
| 5 | srv1 | [255.255.255.255] | DHCP: Request, Message type: DHCP Inform | 7.461.313 |
| 6 | srv1 | [255.255.255.255] | DHCP: Reply, Message type: DHCP Ack      | 0.000.271 |
| 7 | srv1 | [255.255.255.255] | DHCP: Request, Message type: DHCP Inform | 8.011.140 |

If a Windows NT DHCP server sees this exchange from an authorized domain Windows 2000 DHCP server, it will:

- A. Cease issuing IP addresses
- B. Begin issuing IP addresses
- C. Self-authorize
- D. Have no effect

**Answer: D**

16. Which DHCP server message is sent to a client refusing a request for configuration?

- A. Discover
- B. Offer
- C. NAK
- D. Decline

**Answer: C**

17. Which DHCP client message is sent to a server relinquishing a network address and canceling the remaining lease?

- A. Discover
- B. Offer
- C. Request
- D. Release

**Answer: D**

18. APIPA addresses are in the range:

- A. 10.0.0.0/24
- B. 172.16.0.0-172.32.255.255
- C. 192.168.0.0/16
- D. 169.254.0.0/16

**Answer: D**

19. What does the DHCP protocol provide to a client? (Choose all that apply.)

- A. IP address
- B. Dialect negotiation
- C. Default gateway
- D. Subnet mask

**Answer: ACD**

20. Which DHCP client message is sent to a server requesting offered configuration parameters?

- A. Discover
- B. Offer
- C. Request
- D. Ack

**Answer: C**