



http://www.passtest.de

Einjährige kostenlose Aktualisierung

Exam : 4A0-M03

Title : Nokia Mobility Manager

Version : DEMO

1. Which of the following statements regarding GTP-C is FALSE?

A. GTP-C is a tunneling protocol.

- B. GTP-C runs over UDP/IP.
- C. GTP-C is the control plane part of GTP.

D. GTP-C messages carry Attribute Value Pairs (AVPs).

Answer: C

Explanation:

Reference: https://en.wikipedia.org/wiki/GPRS_Tunnelling_Protocol#GTP-C_-_GTP_control

2. Which of the following MME interfaces uses a protocol OTHER than GTP-C or Diameter?

- A. S1-MME
- B. S11
- C. S6a

D. SLg

Answer: A

Explanation:

Reference: https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/

3. Which of the following is a Diameter interface connected to the MME?

- A. S1-MME
- B. S11
- C. Gx
- D. SLg

Answer: B

4. Which of the following statements regarding the role of the MME in the packet core is FALSE?

- A. MME manages registration, authentication, and mobility for the UE.
- B. MME handles setup and management of UE connections to data and voice over LTE.
- C. MME routes and forwards user data packets received from eNodeB.
- D. MME selects the appropriate SGW and PGW during a UE relocation.


Answer: C

Explanation:

Reference: https://en.wikipedia.org/wiki/System_Architecture_Evolution

5.In this exhibit, a new SCTP profile is configured on the MME.

Which interface(s) in the given exhibit can be associated with this profile?



cmm sctpProfile create -name sctp-profile -rtoMin 100 -rtoMax 500

- A. S1-MME only
- B. S11 only
- C. Both S1-MME and S6a
- D. Both S11 and S6a

Answer: C