

# ***PassTest***

Bessere Qualität , bessere Dienstleistungen!



## **Q&A**

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam : 500-601**

**Title : Application Centric  
Infrastructure Support  
Representative**

**Version : DEMO**

1.If a Cisco ARC cluster is fully operational, how many replica copies does each shard have in addition to the leader replica?

- A. 4
- B. 3
- C. 1
- D. 2

**Answer: B**

2.Which two statements about Cisco ACI interaction with STP in legacy networks are true? (Choose two)

- A. External switches ignore flooded BPDU frames received from the Cisco ACIfabric.
- B. BPDU guard is enabled on FEX ports by default.
- C. BPDU guard cannot be configured on leaf edge ports.
- D. STP is enabled by default within the Cisco ACIfabric.
- E. BPDU frame is flooded within EPG No configuration is required.

**Answer: A,D**

3.Which MO name represents a physical domain?

- A. RtDomP
- B. PhysDomP
- C. physDomP
- D. InfraRtDomP

**Answer: C**

4.Which command allows you to log in to a line card on a leaf switch?

- A. Leaf# vsh\_lc
- B. Leaf#vsh
- C. Leaf\*vsh-lc
- D. Leaf# vshell -lc
- E. Leaf# vsh-hw

**Answer: E**

5.Refer to the exhibit

```
# vlan.CktEp
encap          : vlan-2230
adminSt        : active
childAction     :
createTs       : 2015-06-10T15:12:53.000+01:00
ctrl           : policy-enforced
dn             : topology/pod-1/node-101/sys/ctx-[vxlan-2818051]/bd-[vxlan-16514959]/vlan-[vlan-2230]
enfPref        : hw
epgDn          : uni/tn-Prod/ap-App1/epg-web-server
fabEncap       : vxlan-9101
hwId           : 49
id             : 45
lcOwn          : local
modTs          : 2015-06-10T15:12:12.544+01:00
mode           : CE
monPolDn       : uni/tn-Prod/monepg-Prod-Mon
name           : Prod:App1:web-server
operSt         : up
operStQual     : unspecified
operState      : disabled
pctag          : 49158
qosPrio        : unspecified
qosmCfgFailedBmp :
qosmCfgFailedTs : 00:00:00:00.000
qosmCfgState    : 0
rn             : vlan-[vlan-2230]
status         :
type           : ckt-vlan
vlanmgrCfgFailedBmp :
vlanmgrCfgFailedTs : 00:00:00:00.000
```

Which two statements about this managed object are true? (Choose two)

- A. This object is part of the concrete model.
- B. There are endpoints with encapsulation vlan-2230 in the EPG name "web-server" on node 101.
- C. This object is part of the resolved model.
- D. This object is part of the logical model
- E. This object represents an FPG named "web server" in tenant Prod.

**Answer:** B,C