

# ***PassTest***

Bessere Qualität , bessere Dienstleistungen!



## **Q&A**

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam : 646-574**

**Title : le Services Advanced  
Security (LCSAS)**

**Version : DEMO**

**1.Which service component is in the plan phase?**

- A.Project Milestones
- B.Operations Planning
- C.Physical Design Workshop
- D.Security Readiness Assessment

**Correct:D**

**2.In which service component are gaps between current infrastructure and requirements for CSA analyzed?**

- A.Security Readiness Assessment
- B.Site Readiness Assessment
- C.High Level Design for CSA
- D.CSA Operations Implementation

**Correct:B**

**3.What is the first activity that is conducted in an IPS mode implementation?**

- A.Create a Rule from a Query
- B.Tune for False Positives
- C.Install the Sensor, Schedule a Network Outage Prior to the Installation
- D.Fine Tune the Custom Policy

**Correct:C**

**4.What will the Security Assessment service component in the optimize phase help to do?**

- A.Document New Logical-Level Functionality Requirements for CSA, IPS, or MARS
- B.Document New High Level Training Requirements
- C.Ensure Specified CSA Network Connectivity Requirements Are Met
- D.Identify Changes That Should Be Made to Security Policies, Procedures, or Software/Hardware Products
- E.Gain Customer Agreement for Detailed Security Design Requirements

**Correct:D**

**5.Which task may be performed as part of an IPS mode implementation?**

- A.Enable and Disable a Rule
- B.Connect the Sensor to the Management Station
- C.Select an SQL Server
- D.Conduct POC Updates

**Correct:B**

**6.What describes the Business Requirements Development service component in the prepare phase?**

- A.the creation of a model network that replicates the proposed security solution
- B.a process by which the partner can determine if the security solution that is being proposed matches the customer's security requirements
- C.the creation of a topology map for the solution and the identification of products and services that will be required to implement the solution
- D.meetings with different customer stakeholders to gather the customer's requirements for the security solution
- E.a process that identifies the customer's security reporting requirements

**Correct:D**

**7.Which two tasks are associated with the technology strategy meeting in the prepare phase? (Choose two.)**

- A.Document the Customer's Current and Future Technology Projects
- B.Assess Current Security Management Procedures
- C.Determine the Security Solution Feature and Function
- D.Identify a Set of Systems That Will Be Protected in a Pilot Implementation Based upon Guidelines
- E.Document Security Policy Requirements

**Correct:A E**

**8.Which resource is commonly used in the prepare phase of a typical security engagement?**

- A.Security Project Plan
- B.Security Site Survey
- C.Security Installation Guides
- D.Security Business Requirements Documents
- E.Product Release Notes
- F.Security Readiness Assessment Template

**Correct:D**

**9.Drop**

What is the correct sequence in which the following service components are delivered in the prepare phase? Click and drag each service component from the left to the corresponding step on the right.

Customer Education	Step 1
Business Requirements Development	Step 2
Account Planning	Step 3
Account Qualification	Step 4
Technology Strategy Development	Step 5
Business Case Development	Step 6
High Level Design Development	Step 7
Proposal Development	Step 8

**Correct:**

**Green choice4---->Yellow Choice1**

**Green choice3---->Yellow Choice2**

**Green choice2---->Yellow Choice3**

**Green choice5---->Yellow Choice4**

**Green choice1---->Yellow Choice5**

**Green choice7---->Yellow Choice6**

**Green choice6---->Yellow Choice7**

**Green choice8---->Yellow Choice8**

**10.Which activity is performed in Security Readiness Assessment?**

- A.Assess Existing Software Operations Procedures

- B. Survey Facility Site
- C. Preliminary Technology Discovery
- D. Assessment and Remediation Planning

**Correct: A**