

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : 920-121

**Title : NNCSS MPS Application
Developer**

Version : DEMO

1. Tappman performs the following actions EXCEPT for:

- A. application assignment to lines and IVR's
- B. scheduling applications to start and terminate
- C. copying the executable file to the IVR at assigning time
- D. checking to see what applications are currently running

Answer: C

2. Tappman would need to be used in which scenario?

- A. The Appman GUI tool is not accessible.
- B. An application configuration file needs to be created.
- C. The operator wants to set the kill timer to 60 seconds.
- D. The operator needs to view a graphical display of applications currently running.

Answer:A

3. An application needs to have runtime options set within Appman. Which action will accomplish this task?

- A. starting the application
- B. assigning the application
- C. configuring the application
- D. terminating the application

Answer: C

4. Which file contains records of SRP monitored processes?

- A. %MPSHOME\common\log\srp.log
- B. %MPSHOME\process\logs\srp.log
- C. %MPSHOME\common\srpproc.log
- D. %MPSHOME\process\log\srp\srp.log

Answer:A

5. A programmer allocated a fixed number of records during database initialization. What type of database file was initialized?

- A. Flat File
- B. Transient Data Queue (TDQ)
- C. Index Sequential Access Method (ISAM)
- D. Hash-Sequenced Access Method (HSAM)

Answer: D

6. Which PeriProducer block is used to convey a message to a host using Communications Manager (COMMGR)?

- A. System
- B. Resource
- C. Send Host
- D. Environment

Answer: C

7. An application developer is entering a select statement into the Structured Query Language (SQL) block. In order to create a list of columns being returned into the application in the bottom Folder-Datacard selection list window, the application developer would right click the mouse and choose:

- A. Return into
- B. Create datacards
- C. Bind with datanames
- D. Copy from blocknames

Answer:A

8. A customer wants their Statistical Collection Node to store Daily Statistics for up to five years. Which file needs to be modified to accomplish this task?

- A. .conspr
- B. .perireporter
- C. schedule.cfg

D. pr_app_v5.plx

Answer:A