

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : C2010-504

**Title : Migration Engine from
Butterfly Software V6.05
Fundamentals**

Version : DEMO

1.How does IBM Tivoli Storage Manager retain the automatic client deployment packages?

- A. batch files stored in the database
- B. zip files stored in the server directory
- C. archive objects stored in a storage pool
- D. executable files stored in the Backup-Archive client directory

Answer: C

2.What does it mean when a node is in pending active state?

- A. The node is ready to be cutover.
- B. Inactive data has already been migrated.
- C. The migration for a node is preparing to run.
- D. The node is ready to be activated on the target.

Answer: D

3.The migration status page indicates that a batch is complete using which identifier?

- A. a green light
- B. a checked box
- C. a 100% symbol
- D. an exclamation point (!)

Answer: C

Reference:[ftp://ftp.software.ibm.com/software/au/downloads/Storage/Session_5_Migrating_to_TS M.pdf](ftp://ftp.software.ibm.com/software/au/downloads/Storage/Session_5_Migrating_to_TS_M.pdf)(page 48)

4.The Migration Planning Workshop Template Kit is used for what purpose?

- A. To maintain a daily log of events and track software/hardware outages.
- B. To maintain a chronological order of all actions taken during the migration.
- C. To produce roles and responsibilities, contacts of vendors, and executive orders.
- D. To produce planning workshop findings, migration plans, cutover schedules, and the Statement of Work.

Answer: D

5.

See the Exhibit below.

The screenshot shows the 'Target Group' configuration window in IBM Tivoli Storage Manager V6. The window has a title bar 'Target Group' and two buttons: 'Add Source Group' and 'Remove Source Group'. Below these are four configuration fields: 'Target Group' (value: nfinGnt), 'Domain' (value: Standard), 'Export From Source' (value: ☐) and 'Storage Pool' (value: HPOOL), 'Node suffix' (value: NETBACK) and 'Propagate Retention' (value: ☒). At the bottom, there are two tabs: 'Source Environment' and 'Source Group'.

Property	Value
Target Group	nfinGnt
Domain	Standard
Export From Source	<input type="radio"/>
Storage Pool	HPOOL
Node suffix	NETBACK
Propagate Retention	<input checked="" type="checkbox"/>

What is the purpose of the node suffix shown in the exhibit?

- A. It acts as a filter for nodes in the associated source group.
- B. It acts as a filter for filespace in the associated source group.
- C. It ensures node data format will be changed from the source type of NETBACKUP.
- D. It is appended to the node name when it is defined in the IBM Tivoli Storage Manager V6 target.

Answer: A