



http://www.passtest.de

Einjährige kostenlose Aktualisierung

## Exam : C2140-649

## **Title** : Rarional Software Architect

## Version : DEMO

1. Which support does RSA provide for RAS artifacts? (Choose three.)

- A. imports RAS artifacts
- B. browses RAS repositories
- C. converts RAS assets into zip files

D. creates and packages RAS artifacts Answer: ABD

2. Topic diagrams are defined based on \_\_\_\_\_.

A. design patterns

B. model templates

C. architectural discovery

D. a key model element and its relationships Answer: D

3. How do you add RSA model report templates?

A. update your RSA install via the Rational Product Updater

B. create a new RSA plug-in that extends the reporting capabilities

C. add a new report template to the project that contains the model

D. create a new report template and add its corresponding report format entry in the reports.manifest file in the reporting plug-in Answer: D

4. To facilitate modeling, reusable assets can be used to share \_\_\_\_\_. (Choose four.)

- A. profiles
- B. models
- C. patterns

D. transformations

E. JAVA test scripts Answer: ABCD 5. What indicates the level at which a model can be partitioned?

- A. Class
- B. Method
- C. Diagram
- D. Package Answer: D
- 6. Which statement is true about Browse diagrams?
- A. Browse diagrams are saved as .brx files.
- B. You can change the layout of a Browse diagram.
- C. Browse diagrams show all the elements of a given package.

D. Browse diagrams are driven by parameters and filters that you control. Answer: D

- 7. Which statement is true about Deployment Models?
- A. Deployment Models are not supported in Rational Software Architect.
- B. The Enterprise IT Design Model template includes a Deployment Model.
- C. Deployment diagrams can be added to model templates to form Deployment Models.
- D. The Deployment Model template and Analysis Model template both contain Deployment Models. Answer: C
- 8. In RSA, which type of combined fragment is used in sequence diagrams to show the details of how one object messages another?
- A. optional fragment
- B. messaging fragment
- C. interaction use fragment
- D. nested sequence fragment Answer: C
- 9. Which statement is true about models and UML projects?

A. A UML project can only contain a single model.

B. Each UML project must contain a blank model.

C. A UML project can contain any number of models.

D. Models can only be added when the UML project is created. Answer: C

10. When should you consider partitioning a model into multiple files? (Choose two.)

A. when the model file becomes larger that 1 MB

B. when there are more than 10 packages in a model

C. when there are relationships to elements in more than one reference model

D. when the size or packaging structure of the model becomes unmanageable Answer: AD