

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : HP0-S26

**Title : Integrating and Managing
HP ProLiant ML/DL/SL
Servers**

Version : DEMO

1.Which statement is true about SAN/Fabric Switch Care Pack service level support?

- A. It need not be uplifted to match existing storage or server service level.
- B. SAN/Fabric switches, ProLiant c-Class BladeSystems and enclosures are covered by separate Care Packs.
- C. SAN/Fabric switches, ProLiant c-Class BladeSystems and enclosures are covered by the Care Pack.
- D. It does not cover the Ethernet interconnect and virtual connect modules.

Answer: B

2.How does the standard warranty on a ProLiant DL165 Server differ from that of a ProLiant DL320 Server?

- A. There is no difference in warranty terms between the DL165 and DL320.
- B. No onsite support for DL165; 3 years onsite support for the DL320
- C. 3 years parts and labor for the DL165; 1 year parts and labor for the DL320
- D. 1 year parts and labor for the DL165; 3 years parts and onsite labor for the DL320

Answer: B

3.Which services do you need installed to use the HP Insight Rapid Deployment software (RDP) Deployment Server Web Console? (Select two.)

- A. ASP.NET.
- B. WAIK 2.1
- C. Framework.net 2.0
- D. Framework.net 1.1
- E. IIS

Answer: A,E

4.Which utility is used to create an output file containing information about the disk controller order on a reference server that can be used for replication?

- A. ORCA
- B. CONREP
- C. ADU
- D. CPQDISK

Answer: B

5.What does an HP SIM CMS running on Windows use to record various error, warning, and informational events that occur during runtime?

- A. Windows Event Log
- B. HP SIM Select Options ? Events
- C. System Management Homepage
- D. CPQSetup.log

Answer: A

6.Which changes to clustering are included in Windows Server 2008? (Select two.)

- A. Clusters are x64-based and now support up to 32 nodes.
- B. Cluster nodes can have their IP addresses assigned by DHCP.

- C. Geographically dispersed clusters cannot span subnets.
- D. Failover clusters are built around a more resilient and customizable quorum model.
- E. GUID partition table (GPT) disks are not supported.

Answer: B,D

7.You are adding a second Serial Attached SCSI (SAS) Small Form Factor (SFF) drive cage to a ProLiant ML350 G6 Server. The server has a Smart Array 410i Controller. The customer has ordered the cage, cables and drives. Why are you unable to complete this task?

- A. The second drive cage installation requires a SAS expander board.
- B. The second drive cage installation requires all eight inch SAS cables.
- C. The SA410i does not support this configuration.
- D. The SA410i must have a 512MB with BBWC option installed.

Answer: A

8.A customer wants you to create a third LUN on a connected MSA2000. After you do this, what must you do to make it visible to the host within the Windows operating system? (Select two.)

- A. Enable BIOS on the first and (if available) second fc-adapter.
- B. Present the LUN with the WWN number of the FC card installed in the server.
- C. Boot the connected server from SmartStart 8.x, use Array Configuration Utility, and allow the host to access the new LUN.
- D. Restart your server or select Disk Management, right-click, and select Rescan Disk.
- E. Add the new LUN-WWN to zoning of the fc-fabric.

Answer: B,D

9.Which tool is best suited to replicate the RBSU settings across multiple ProLiant DL300 Series servers?

- A. HP SIM
- B. RDU
- C. ACU
- D. CONREP

Answer: D

10.Which agent is used for HP Insight Rapid Deployment software (RDP) on Windows Server 2008?

- A. DAClient
- B. AClient
- C. DAgent
- D. ADLAgent

Answer: C