

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : **HPE0-J77**

Title : **Designing HPE Backup
Solutions**

Version : **DEMO**

1.A company has a 7-building campus with a primary and a secondary data center. HPE 3PAR StoreServ is used for primary storage. These arrays are complemented by the deployment of HPE StoreOnce and HPE StoreEver Major departments at this location are Research, Marketing, and Sales.

The Marketing group works with images and has very large files. They actively promote a product for 1 year, with an additional 1-3 month period of coexistence with the follow-on product. After that, they keep the files indefinitely for reference use and an occasional retro advertisement Marketing requires rapid access to the current materials and economical storage for the older campaigns

Which data protection method will allow Marketing to cost effectively maintain their images over the 15 month product life?

- A. remote replication
- B. local replication
- C. backup
- D. archive

Answer: B

2.A small company wants to protect the data on their server. There is approximately 5 TB of data They are looking for a backup solution that can attach directly to the server, has removable media, will allow fast backup, and supports a range backup applications

Which product matches their needs?

- A. HPE StoreEver tape library
- B. HPE StoreEasy Storage NAS
- C. HPE StoreEver LTO Ultrium External Tape Drive
- D. VEEAM backup to HPE StoreOnce with tape offload

Answer: C

3.DRAG DROP

A Customer needs a backup solution for their virtual environment. Their 35 TB Microsoft Windows file server data is business critical. Match the recovery point objective to the most cost effective solution to achieve it

The screenshot shows a drag-and-drop interface with four RPO options on the left and four backup solutions on the right. Each RPO option is in a blue box, and each backup solution has an empty white box next to it for a drop.

| | | |
|---------|--|--|
| Days | | HPE 3PAR StoreServ systems using synchronous replication |
| Weeks | | HPE StoreOnce 4700 |
| Seconds | | HPE StoreVirtual Remote Copy |
| Hours | | MSL6480 with 4x LTO-6 drives |

Answer:

The screenshot shows the same drag-and-drop interface as above, but with the correct matches. The RPO boxes on the left are highlighted with green borders, and the backup solution boxes on the right are highlighted with red borders. The matches are: Days to HPE StoreOnce 4700, Weeks to HPE StoreOnce 4700, Seconds to HPE StoreVirtual Remote Copy, and Hours to MSL6480 with 4x LTO-6 drives.

| | | |
|---------|---------|--|
| Days | Seconds | HPE 3PAR StoreServ systems using synchronous replication |
| Weeks | Days | HPE StoreOnce 4700 |
| Seconds | Hours | HPE StoreVirtual Remote Copy |
| Hours | Weeks | MSL6480 with 4x LTO-6 drives |

4.A backup and restore environment is being designed to use Synthetic backup Which statement describes this operation?

- A. Data created or modified since the last full or incremental backup, plus data accessed (touched) during a specified time frame, will be copied
- B. Take the last full backup, and append the incremental or differential backups to the full backup set.
- C. Database activity is quiesced to ensure that buffers and cached data are flushed to disk before the split is backed up.
- D. Copy all files that have been created or modified since the last full or incremental backup.

Answer: B

5.Refer to Exhibit:

| | | | | |
|---|-------|-------|-------|-------|
| Max SPAR StorServ Storage arrays | 16 | 8 | 4 | 2 |
| Max SPAR Vols | 64k | 32k | 16k | 8k |
| Max StoreOnce Backup systems | 16 | 8 | 4 | 2 |
| Max StoreOnce Catalyst Stores | 192 | 96 | 48 | 24 |
| No of Snapshots per minute without backup | 160 | 160 | 160 | 96 |
| No of Snapshots per minute with backup | 80 | 80 | 80 | 48 |
| Max Recovery Sets Backed Up in Parallel | 32 | 16 | 8 | 4 |
| Max Volumes Per Recovery Set | 8 | 8 | 8 | 8 |
| Max Volume Size | 16 TB | 16 TB | 16 TB | 16 TB |
| Max Streams Per Volume | 16 | 16 | 16 | 16 |
| Max synthetic full speed (TB/hr) | 80 | 40 | 20 | 10 |
| Max restore speed (TB/hr) | 5 | 5 | 4 | 2 |
| Max Streams | 256 | 128 | 64 | 32 |

Notes:
 1. Migration does not support multi-RMC configuration. It is advised to first configure single RMC instance and migrate the data and then add other RMC instances
 2. Multi RMC is not supported for SPAR Remote Copy Solution
 3. Internet Explorer is not supported for upgrading from RMC 10 to 11

You size an HPE Recovery Manager Central (RMC) solution for a customer's environment. The customer uses two HPE StoreServ systems and wants to run eight Recovery Set backups in parallel. To achieve the RTO, 4.5 TB of data must be restored per hour

What is the minimum configuration that must be planned for the RMC host?

- A. 2 vCPU / 8 GB VRAM
- B. 4vCPU/16GBvRAM
- C. 8 vCPU / 32 GB VRAM
- D. 16 vCPU/64 GB VRAM

Answer: C