

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : **PEGACSA72V1**

Title : Certified System Architect
(CSA) 72V1

Version : Demo

1.You have been asked to create a sequence of user forms for a travel reservation process. The forms contain fields that require calculation.

For which reason do you use a declare expression to calculate values?

- A. To perform the calculation in a specific case stage
- B. To perform the calculation when the user clicks a button
- C. To perform the calculation when a form is submitted
- D. To perform the calculation wherever a field is updated

Answer: A

2.Each of the following classes has a data transform named SetValues with the Call data transforms in superclass option selected.

The SetValues data transforms set the properties PropA and PropB, as shown in the following table.

Class	Property	Value
MyCo-App-Data	PropA	1
MyCo-App-Data-A	PropB	2
MyCo-App-Data-A-B	PropA	3
MyCo-App-Data-A-B-C	PropB	4

What is the value of PropA and PropB after the SetValues in MyCo-App-Data-A has been invoked?

- A. PropA=1 and PropB=2
- B. PropA=1 and PropB=4
- C. PropA=3 and PropB=4
- D. PropA=3 and PropB=2

Answer: B

3.A Service Request case type has a CustomerGrade property.

How do you set the value of the CustomerGrade property to Silver when a service request case is created?

- A. Configure the CustomerGrade property with a default value.
- B. Configure the pyDefault data transform to set the CustomerGrade property value.
- C. Configure a declare expression to set the CustomerGrade property value.
- D. Configure the first connector in the first flow rule to set the CustomerGrade property value.

Answer: B

4.DRAG DROP

Match each data page scope to its use case.

<u>Scope</u>	<u>Use Case</u>
Node	Customer details for a complaint case handled by a customer service representative
Thread	Exchange rates available to all accounting applications
Requestor	Order history of the logged-in user that needs to be refreshed on every login

Answer:

<u>Scope</u>	<u>Use Case</u>
Node	Customer details for a complaint case handled by a customer service representative
Thread	Exchange rates available to all accounting applications
Requestor	Order history of the logged-in user that needs to be refreshed on every login

5. In an application, three email addresses (work, home, and other) can be captured for a customer. You use .Email (work) to refer to the work email address.

What type of property is used to capture the email addresses?

- A. Page
- B. Value group
- C. Value list
- D. Page group

Answer: C