



http://www.passtest.de

Einjährige kostenlose Aktualisierung

## Exam : VCS-254

# Title: Administration of VeritasCluster Server 6.1 for UNIX

### Version : Demo

1. When configured as default, the Veritas Cluster Server Notifier receives queued messages on a schedule every how many minutes?

- A. One
- B. Three
- C. Five
- D. Ten

#### Answer: B

2. How is an admin account added to receive notification?

- A. by modifying the notifier SmtpRecipients attribute while online
- B. by modifying the SmtpAdmins in the main.cf file of the active cluster
- C. by modifying the SmtpRecipients attribute and restarting the notifier
- D. by modifying the SmtpAdmins attribute and restarting the notifier

#### Answer: C

3. Which roles configuration tab is used to set the custom attributes that a certain role can view or edit?

- A. General tab
- B. Incident Access tab
- C. Policy Management tab
- D. Users tab
- Answer: A

4.Refer to the exhibit.

```
group ApacheG1(
SystemList = { System1 = 0, System2 = 1 }
)
Apache httpd server (
        Critical = 0
        httpdDir = "/apache/bin"
        HostName = vcssol1
        Port = 8888
        User = root
        SecondLevelMonitor = 1
        ConfigFile = "/apache/conf/httpd.conf"
        )
DiskGroup Apache dg (
        Critical = 0
        DiskGroup = apc1
        )
IP Apache_ip (
        Critical = 0
        Device = bge0
        Address = "11.123.99.168"
        NetMask = "255.255.254.0"
        )
Mount Apache mnt (
        Critical = 0
        MountPoint = "/apache"
        BlockDevice = "/dev/vx/dsk/apc1/apcvol1"
        FSType = vxfs
        FsckOpt = "-y"
```

Which two statements are true? (Select two.)

A. Any resource fault leads to a faulted state for the resource.

B. Any resource fault leads to the service group failing over.

C. Any resource fault will lead to the service group being taken offline.

D. Any resource fault will leave the service group partially online.

E. Any resource fault is detected and its agent's offline entry point is run.

#### Answer: A,D

5. In a two node configuration, which option allows the administrator to form a Veritas cluster on the pair?

A. One node is an NFS client to the other node's NFS server.

B. One node runs HP-UX and the other Oracle Solaris.

C. One node runs Oracle Solaris SPARC, and the other runs Oracle Solaris x86.

D. One node is a virtual machine, and the other is physical.

#### Answer: D