## PassTest Bessere Qualität , bessere Dienstleistungen!



Q&A

http://www.passtest.de Einjährige kostenlose Aktualisierung Exam : 4A0-107

**Title**: Nokia Quality of Service

Version: DEMO

1.The IP ToS field consists of		_are used. The	_most
significant (first) bits define precedence.			
A. 8,6,3			
B. 8,8,6			
C. 16, 8, 4			
D. 8,6,4			
E. 24, 16, 8			
Answer: A			
2.Which of the following are examples of	of metrics for QoS?		
A. Signal degradation, attenuation, line	loss		
B. Latency, FIFO, WRED			
C. Delay, jitter, packet loss			
D. SNR, queue depth, latency			
E. Attenuation, dispersion, latency			
Answer: C			
3.What is the 6-bit binary representation	of DSCP value AF21?		
A. 010011			
B. 100010			
C. 010001			
D. 001100			
E. 010010			
Answer: E			
4. Which of the following statements reg	arding DSCP bits are TF	RUE? (Choose three)	
A. The three most significant (first) bits of	define 8 forwarding class	ses.	
B. The three least significant (last) bits of	of the DSCP specify the	drop probability.	
C. The full 8 bits of the TOS field are use	ed for DSCP.		
D. To convert DSCP to IP precedence, t	he three most significan	t (first) bits are matched.	
E. DSCP provides for eight drop probab	ilities.	•	
Answer: A,B,D			
5.Which of the following can be used as	classifiers of customer	traffic? (Choose three)	
A. DSCP value		,	
B. 802.1p value			
C. IP DF bit			
D. TCP/UDP port numbers			
E. HTML version number			
Answer: A,B,D			