PassTest Bessere Qualität , bessere Dienstleistungen!



Q&A

http://www.passtest.de Einjährige kostenlose Aktualisierung Exam : 9A0-803

Title : Certified Dreamweaver 8

Developer Exam

Version: DEMO

| 1. What area, in the Insert bar, is intended for customizing and organizing frequently used objects? |
|--|
| A. Layout |
| B. Common |
| C. Favorites |
| D. Application Answer: C |
| 2. What can the <head> section of a document contain? (Choose TWO)</head> |
| A. <body> tag</body> |
| B. style sheets |
| C. <meta/> tags |
| D. version of HTML used |
| E. everything that displays in a browser Answer: BC |
| 3. What is a feature of the coding toolbar? |
| A. create unordered list from selected code |
| B. apply comment button can only insert HTML comment |
| C. ability to undock and move toolbar and customize button |
| D. if nested comments, remove comment button only removes outer comment tag Answer: D |
| 4. If a form requires a constant value for a form field each time the form is submitted, what type of field is used to store the data? |
| A. Hidden |
| B. Standard |
| C. Concealed |
| D. Fixedvalue Answer:A |

| 5. What text formatting can be applied from the Property inspector? |
|--|
| A. font size |
| B. underline |
| C. superscript |
| D. definition list |
| Answer:A |
| 6. In CSS, what is the correct example of a custom class called myclass? |
| Amyclass |
| B. #myclass |
| C. \$myclass |
| D. %myclass Answer:A |
| 7. What set of Cascading Style Sheets (CSS) style rules cause hypertext links within a table data cell to appear bold, notunderlined, and with a pale gray background when the user moves the mouse pointer over a link? |
| A. td a:hover { font-weight: bold; underline: none; -color: #CCCCC; } |
| B. td a:hover { font-weight: bold; text-decoration: none; background-color: #CCCCC; } |
| C. td a.hover { font-weight: bold; underline: none; background-color: #CCCCC; } |
| D. td, a.hover { font-weight: bold; text-decoration: none; |
| background-color: #CCCCC; } Answer: B |
| 8. What action reduces a page's download time? |
| A. Use tables instead of CSS for page layout. |
| B. Link, rather than embed, client-side JavaScript. |
| C. Reduce the number of colors used in GIF images. |

| D. Resize images using the height and width attributes of the tag. Answer: C |
|---|
| 9. Which symbols could be used to start a comment in JavaScript? (Choose TWO) |
| A. // |
| B. */ |
| C. # |
| D. { |
| E. /* Answer:AE |
| 10. What behavior can be attached to a hyperlink to load new content into two different frames in a frameset? |
| A. GoTo URL |
| B. Swap Image |
| C. Change Behavior |
| D. Open Browser Window Answer:A |
| 11. What Visual Aid displays the margin, border, and padding of CSS elements? |
| A. Layer Outline |
| B. CSS Layout Outlines |
| C. CSS Layout Box Mode |
| D. CSS Background Layout Background Answer: C |
| 12. What is "align" in the following code known as? <div align="center"></div> |
| A. value |
| B. element |
| C. attribute |

| Answer: C |
|--|
| 13. A page has an embedded style sheet that redefines H3 as Arial, red. The same page has a linked style sheet attached that defines H3 as Verdana, blue, and 16 pixels. How should text between H3 tags display on the page in a browser? |
| A. Arial, red, 16 pixels |
| B. Verdana, red, 16 pixels |
| C. Verdana, blue, 16 pixels |
| D. Arial, red, browser default font size Answer:A |
| 14. When would an onBlur event occur? |
| A. onBlur is not an event |
| B. when an image is selected |
| C. when a form field is selected |
| D. when selecting any object other than the one the onBlur event is attached |
| E. when selecting any object after selecting the one the onBlur event is attached Answer: E |
| 15. What CSS formatting options must be previewed in the browser to see them properly rendered? |
| A. A:link |
| B. A:hover |
| C. Line Height |
| D. Letter Spacing Answer: B |
| 16. What functionality does the Coding Toolbar provide in Code View? (Choose TWO) |
| A. Code Collapse |
| B. Code Hint Tools |

D. argument

| C. Balance Braces |
|---|
| D. Inserting Functions |
| E. Create New Snippet Answer:AC |
| 17. Where is the Characters menu found? |
| A. Assets panel |
| B. Property inspector |
| C. HTML Styles panel |
| D. Insert > HTML > Special Characters Answer: D |
| 18. How are guides created in Dreamweaver? |
| A. dragged from ruler |
| B. added by viewing grid |
| C. drawn with the line tool |
| D. automatically drawn along slice Answer:A |
| 19. Which method is used to open a new browser window? |
| A. window.new() |
| B. window.open() |
| C. navigator.open() |
| D. document.new() Answer: B |
| 20. Dreamweaver can display code that is inserted by the server using a server-side include. Why should a developer use this feature? |
| A. makes sure the code is accessible |
| B. aids proper layout of the web page C. way to create a server-side include in HTML |

D. helps test how the server-side include works on a local machine Answer: B

This document was created with Win2PDF available at http://www.win2pdf.com. The unregistered version of Win2PDF is for evaluation or non-commercial use only. This page will not be added after purchasing Win2PDF.