

# *PassTest*

Bessere Qualität , bessere Dienstleistungen!



## Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam** : **ASC-029**

**Title** : **ASC Enterprise Security  
2010**

**Version** : **Demo**

1. When defining location switching criteria, which two can be used? (Select two.)

- A. MAC address
- B. Wins Server address
- C. host name
- D. NIC description
- E. OS type

Answer: B, D

2. When identifying risks, an administrator should prioritize them according to what? (Select two.)

- A. likelihood of occurrence
- B. order of occurrence
- C. level of inconvenience to the customer
- D. impact to the project
- E. visibility to senior management

Answer: A, D

3. An administrator has deployed LAN enforcer within the network and enabled 802.1x on all switch ports. How can the administrator ensure that printers directly connected to the switch are still accessible, and also prevent computers bypassing LAN enforcement should they be connected to the printer's network outlet?

- A. install Symantec Endpoint Protection on the printers
- B. add the MAC addresses of the printers to the Trusted Hosts list in the advanced settings of the Enforcer Group properties
- C. log on to the command line of the enforcer, at the command line enter mab enable
- D. log on to the command line of the enforcer, at the command line enter mac and the list of printer MAC addresses

Answer: C

4. With an 802.1x enabled switch, the SNAC client communicates with the switch at which layer of the OSI reference model for EAP authentication?

- A. Layer 1 (Physical Layer)
- B. Layer 2 (Data Link Layer)
- C. Layer 3 (Network Layer)
- D. Layer 4 (Transport Layer)

Answer: B

5. At an administrator's first meeting with a customer they realize that their customer is expecting the product to do a certain function that the administrator is sure it cannot accomplish. What should the administrator's response be?

- A. call the account team
- B. escalate to the administrator's manager
- C. provide alternative solutions
- D. call the product manager

Answer: C