PassTest

Bessere Qualität , bessere Dienstleistungen!

Q&A

http://www.passtest.de

Einjährige kostenlose Aktualisierung

Exam : **BCP-810**

Title : Developing Applications for the BlackBerry Solution

Version : Demo

1.Application X must receive push updates from a public server every morning. The application must display a notification to the BlackBerry device user when the new update is received. Which two of the following application approaches will support these requirements? (Choose two.)
A. Web application with BlackBerry Internet Service browsing
B. BlackBerry Widget with BlackBerry Internet Service Push APIs
C. BlackBerry Widget with BlackBerry Enterprise Server Push APIs
D. BlackBerry Java application with BlackBerry Internet Service Push APIs
E. BlackBerry Java application with BlackBerry Internet Service browsing
Answer: B,D

2.Application X must track field service agents, report their locations back to the intranet application server, and push alerts for new jobs during the day. Given the scenario, which three of the following components are required for application X to function properly? (Choose three.)
A. BlackBerry Enterprise Server
B. BlackBerry Internet Service
C. A GPS enabled BlackBerry device
D. BlackBerry Internet Service Push APIs
E. BlackBerry Mobile Data System Connection Service
Answer: A,C,E

3.Which three of the following debugging features are supported in BlackBerry IDEs? (Choose three.)
A. Get a variablevalueGet a variable? value
B. Change a variablevalueChange a variable? value
C. Hot code replacement
D. Arbitrary code execution
E. Creating new types
Answer: A,B,D

4.A developer wants to distribute an application OTA using the BlackBerry Browser. Which application file that provides information about the application needs to be placed on a web server? (Choose one.)
A. JAD
B. ALX
C. COD
D. JAR
E. JDE
Answer: A

5.What would cause a signed application to become unsigned? (Choose one.)
A. The application is re-compiled
B. The signature expires
C. The application is installed too many times
D. The evoke Key button of the Signature Tool is pressed
E. The JAD and ALX files are deleted

Answer: A

6.What are two ways to create an application UI that is consistent with the native BlackBerry UI? (Choose two.)
A. Provide context-specific action menus on each page
B. Make use of the banner to present interactive information
C. Inherit default behaviors by using or extending existing UI components
D. Use BlackBerry UI construction tool to build the new UI from an existing template
E. Specify the font for the application screens
Answer: A,C

7.A BlackBerry device application collects data and needs to merge it with data on a server before pushing out an updated summary page. Which of the following collection of tools would be most appropriate for testing this application? (Choose one.)
A. A BlackBerry MDS-CS Simulator and a real BlackBerry device
B. A database server, a proxy, and a real BlackBerry device
C. A BlackBerry ESS Simulator and a real BlackBerry device
D. A web server and a BlackBerry Device Simulator
E. A BlackBerry MDS-CS Simulator and a BlackBerry Device Simulator
Answer: E

8.Which two of the following simulators should be used to simulate the interaction between a web application on a BlackBerry device and a web server that is behind a corporate firewall? (Choose two.)
A. BlackBerry Firewall Simulator
B. BlackBerry Screen Simulator
C. BlackBerry Device Simulator
D. BlackBerry MDS-CS Simulator
E. BlackBerry ESS Simulator
Answer: C,D

9.Which method does RIM recommend for managing multiple screen displays within a BlackBerry device application? (Choose one.)
A. Organize the screens into a tabbed panel
B. Push full sized screens to the top of a stack
C. Generate pop-up screens as required
D. Use re-sizable screens that can be collapsed and restored
E. Use a mixture of transparent and opaque screens
Answer: B

10.Which tool should be used to facilitate application test cases by simulating BlackBerry device user interaction with the BlackBerry Device Simulator? (Choose one.)
A. BlackBerry MDS-CS Simulator
B. Javaloader
C. Controller Command

D. ESS
E. BlackBerry Desktop Manager
Answer: C

11.A technician needs a field service application that will support receipt of work orders and determine a customer location. What are two advantages of using a Java application over a web application in this situation? (Choose two.)
A. Java applications can access a server application over the intranet
B. Java applications run consistently faster than web applications
C. Java applications can display a BlackBerry Maps Field within the application
D. Java applications require a local client
E. Java applications can operate while out of coverage
Answer: C,E

12.Which file type may be signed using the RIM Signature Tool and Code Signing Keys? (Choose one.)
A. COD
B. JAR
C. EXE
D. JAD
E. ALX
Answer: A

13.If an application is built using BlackBerry JDE version 4.6, on which of the following BlackBerry Device Software versions can the application be executed? (Choose one.)
A. Any BlackBerry Device Software version
B. BlackBerry Device Software 4.6 and below
C. Only BlackBerry Device Software 4.6
D. BlackBerry Device Software 4.6 and above
E. All versions above BlackBerry Device Software 4.6
Answer: D

14.Which two of the following mechanisms are available to toggle content protection on the BlackBerry device? (Choose two.)
A. IT policy
B. API call
C. BlackBerry Device setting
D. Desktop Manager setting
E. Application control
Answer: A,C

15.In order to write a BlackBerry device application that uses a complex custom user interface, which two of the following IDEs could be used? (Choose two.)
A. BlackBerry Plug-in for Visual Studio
B. BlackBerry Java Development Environment

C. BlackBerry JDE Plug-in for Eclipse
D. BlackBerry Web Development Plug-in for Eclipse
E. BlackBerry Web Development Plug-in for Visual Studio
Answer: B,C

16.Which of the following can receive PIN messages? (Choose one.)
A. BlackBerry devices with BlackBerry Messenger
B. Any cellular phone
C. BlackBerry Enterprise Server
D. BlackBerry Internet Service
E. Any BlackBerry device
Answer: E

17.Which of the following file types is needed by the IDE to locate the source code for a COD file-packaged application? (Choose one.)
A. RAPC
B. JAR
C. DEBUG
D. CSL
E. JAD
Answer: C

18.Which of the following situations could interrupt a wireless network data connection on a BlackBerry device? (Choose one.)
A. AWi-Fi connection is established
B. Removable media is removed
C. A Bluetooth connection is established
D. A GPS radio is activated
E. A phone call is initiated or received
Answer: E

19.Application X needs to update the BlackBerry device user? address book with information from a social networking site. It will also need to allow the user to tag images taken using the Camera application and upload them to the site. Which two of the following application approaches will support these requirements? (Choose two.)
A. BlackBerry Widget
B. Web application
C. BlackBerry Applet
D. BlackBerry Java application
E. BlackBerry MDS-CS
Answer: A,D

20.Which two of the following transport routes must go through the wireless network? (Choose two.)
A. BlackBerry Enterprise Server

B. WAP
C. BlackBerry Internet Service
D. Direct TCP
E. Wi-Fi
Answer: B,D