# PassTest

Bessere Qualität , bessere Dienstleistungen!

# Q&A

1 / 3

**Exam** : **C9060-518**

**Title** IBM Tivoli Storage Manager V7.1.1 Administration

**Version** : DEMO

1.Which command is used to eliminate an IBM Tivoli Storage Manager (TSM) client node?

A. Discard Node

B. Erase Node

C. Delete Node

D. D. Remove Node

**Answer:** D

Explanation: http://publib.boulder.ibm.com/tividd/td/ITSML/GC23-4691-01/en_US/HTML/anrlrf51227.htm

2.Assume a backup occurs every night and file a1 changes every day. The administrator has the following copygroup definitions:

Number of versions kept for existing files = 30

Number of versions kept for deleted files = 30

Number of days to keep extra versions = 30

Number of days to keep the last version = 180

After 30 days, file A1 was deleted. How many versions would be available on day 120?

A. 180

B. 1

C. 30

D. 120

**Answer:** C

3.When is a Backup / Archive client considered at-risk in the IBM Tivoli Storage Manager (TSM) Operations Center?

A. the Backup / Archive client has exceeded its backup capacity limit

B. a problem has occurred during its most recent Backup / Archive client backup

C. the TSM Backup / Archive client code is no longer supported

D. the Backup / Archive client has detected invalid TSM Database entries

**Answer:** B

4.Which command verifies Microsoft Exchange and SQL Server protection when using IBM Tivoli Storage Manager for Virtual Environment?

A. QUERY EVENT -detail

B. QUERY VM -detail

C. QUERY BACKUP -detail

D. QUERY HYPERV –detail

**Answer:** B

5.What does the QUERY REPLNODE command display?

A. the number of files not protected by node replication

B. the number of NAS backup files stored for each replicated node

C. the number of bytes stored for each replicated file space

D. the number of files that are stored for each replicated file space

**Answer:** D

Explanation:

https://www-01.ibm.com/support/knowledgecenter/SSGSG7_6.3.4/com.ibm.itsm.srv.ref.doc/r_cmd_repl node_query.html