

# *PassTest*

Bessere Qualität , bessere Dienstleistungen!



# Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam** : **COG-300**

**Title** : IBM Cognos TM1 Analyst

**Version** : Demo

1.Why would an analyst create a subset?

- A.To quickly see the top level elements.
- B.To quickly see the top 5 values in a cube.
- C.To change the dimension order.
- D.To change the cube structure.

Answer:A

2.When reviewing data that will be uploaded into a cube, the rows and columns are static. Which of the following would an analyst use?

- A.Dynamic Slice
- B.Cube View
- C.Active Form
- D.Classic Slice

Answer:D

3.Which worksheet function enables the end user to create their own subsets from the title dimensions?

- A.DNEXT
- B.VIEW
- C.DFIRST
- D.SUBNM

Answer:D

4.Why would an analyst create a snapshot of a cube?

- A.To access data with the In-spreadsheet browser.
- B.To access data without access to a TM1 server.
- C.To access data on a TM1 server.
- D.To access data using TM1 web.

Answer:B

5.When a report requires data from multiple views, what must be inserted into an Active Form?

- A.A title element
- B.A chart
- C.A section
- D.A cube

Answer:C