

# *PassTest*

Bessere Qualität , bessere Dienstleistungen!



## Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam** : **EE0-021**

**Title** : Atg Commerce Certification  
Exam

**Version** : DEMO

1. Which two steps are necessary to add a new shipping method? (Choose two.)

- A. create a component of type `atg.commerce.pricing.ShippingMethod`
- B. create a component of type `atg.commerce.pricing.FixedPriceShippingCalculator`
- C. add the new shipping method component to the `ShippingPricingEngine` component's `preCalculator` property
- D. add the new shipping method component to the `ShippingPricingEngine` component's `shippingMethod` property

Answer: BC

2. What are two functions of the `CartModifierFormHandler`? (Choose two.)

- A. reprices the Order
- B. adds items to an Order
- C. schedules the Order for future fulfillment
- D. retrieves the list of payment groups associated with the Order

Answer:AB

3. What should you do to prevent errors during submission in the checkout caused by session invalidation?

- A. You set the `sessionExpirationURL` property of the form handler to redirect the user to an appropriate page after submission.
- B. You ensure that the `Profile.securityStatus` is not anonymous before rendering the form and if it is anonymous, redirect the user to an appropriate page.
- C. You create a servlet that will check the `SessionManager.validSessions` property and ensure this session is valid when the form is displayed. If session is invalid, you redirect the user to an appropriate page.
- D. You check the `creationTime` of the user's session and ensure that the difference subtracted from current time is not greater than the `SessionManager.sessionInvalidationTime` on the page. If it is longer than the `sessionInvalidationTime`, you redirect the user to an appropriate page.

Answer:A

4. What are two ways to display items in an order in a JSP? (Choose two.)

- A. iterate through the `CartModifierFormHandler.productId` property

B. iterate through the CartModifierFormHandler.order.commerceltems property

C. iterate through the CartModifierFormHandler.order.ShippingGroups property and then iterate through the ShippingGroup.Commerceltems property

D. iterate through the CartModifierFormHandler.order.ShippingGroups property and then iterate through the ShippingGroup.CommerceltemRelationships property

Answer: BD

5. Which two statements about the functions of the ShippingGroupFormHandler are true? (Choose two.)

A. It allows you to split shipping by line item.

B. It allows you to split shipping by payment group.

C. It contains a list of CommerceltemShippingInfo objects.

D. It loads the ShippingGroupMapContainer with the authorized shipping groups for the current user.

Answer:AC

6. What are three main tasks in the PaymentGroupFormHandler? (Choose three.)

A. create a new PaymentGroup for use in a user's current Order

B. split extra CommerceldentifierPaymentInfo objects by amount

C. handle applying CommerceldentifierPaymentInfo associations to the current Order

D. specify a default PaymentGroup to be used for a Commerceldentifier that is not explicitly assigned to a PaymentGroup

Answer: BCD

7. In which two cases is it recommended that you create repository item sub-types or modify the sku repository item rather than use dynamicAttributes? (Choose two.)

A. when adding multiple attributes to a sku

B. when using an attribute represented by a number

C. when defining an attribute that can be different for all SKUs

D. when defining an attribute that is specific to a small subset of SKUs

Answer:AD

8. When would you use the CatalogItemLookupDroplet instead of the ItemLookupDroplet to look up items in a catalog repository?

- A. when you want to search for an item on a gift list
- B. when you want to search more than one repository for an item
- C. when you want to search for an item only from the current user's catalog
- D. when you want to search for a list of possible items that match a specific criteria

Answer: C

9. What must you do to sell multiple items as a bundle?

- A. offer a category of products as a SKU
- B. assign multiple SKUs into a product bundle
- C. assign the appropriate quantity of each SKU to a SKU bundle
- D. write a custom shopping cart handler to add related products to the cart when necessary

Answer: C

10. When searching custom catalogs, what do you do to ensure that all catalogs are searched if no user catalog is defined?

- A. You do nothing. This is the default behavior.
- B. set the currentCatalog property of the CatalogSearchFormHandler class to the default catalog
- C. set the nullCatalogMeansNoResult property of the CatalogSearchFormHandler class to false
- D. set the catalogPropertyName property of the CatalogSearchFormHandler class to the default catalog

Answer: C