PassTest Bessere Qualität , bessere Dienstleistungen!



Q&A

http://www.passtest.de Einjährige kostenlose Aktualisierung **Exam** : HP0-242

Title: Supporting the ESL9000

Version : DEMO

1.On which Operator Control Panel screen can you read error logs?
A.Overview
B.Tapes
C.Operator
D.Service D.Service
Correct:C
2. The Use Barcodes button on the Systest Library screen of an ESL library is activated. What
occurs?
A.Selected cartridges are swapped during the test, based on the barcode label.
B.Barcodes are read as cartridges are swapped.
C.Cartridges are not swapped; barcodes are used to simulate cartridge swapping.
D.Cartridges are returned to the previous location after the test terminates.
Correct:B
3. What is the maximum number of times an HP Ultrium cleaning cartridge can be used?
A.5
B.10
C.15
D.20
Correct:C
4. What is the format of the ESL Interface Manager Command Line Interface command prompt?
A.CLI >
B./>
C.IM >
D. >
Correct:B
5. The Interface Manager card in an ESL library connects to the Fibre Channel Interface Controllers
across a
A.PCI bus
B.multimode Fibre Channel cable
C.private Ethernet cable
D.serial cable
Correct:C
6.The Actions button on a Command View ESL screen is used to
A.perform the selected action
B.open a menu of currently available actions
C.display information about the current action
D.take control over the current action
Correct:B
7.From which Operator Control Panel screen can you configure library options?
A.License
B.Tapes
C.Services
D.Operator
Correct:D

8. The cascade port of the Interface Manager card in an ESL library uses _____.

A.DHCP by default to acquire an IP address across the network

B.a pre-assigned, customizable IP address

C.no IP address by default; you must set it during the configuration process

D.a hardcoded IP address that cannot be changed

Correct:D

9. What is the default baud rate for configuring the Fibre Channel interface card though the serial connection?

A.9600

B.19200

C.57600

D.115200

Correct:D

10. Which connection type has the highest priority when connecting to a Network Storage Router (NSR) through the Interface Manager card?

A.Command View ESL

B.Telnet

C.FTP

D.Serial

Correct:D