

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : HP0-785

**Title : NonStop Hardware Install,
Maintain, Upgrade**

Version : DEMO

1.Which SCF command assigns IP addresses to each path of a CLIP on a SWAN concentrator?

- A.add path \$SW03.1.A, IPADDRESS 192.168.5.100 add path \$SW03.1.B, IPADDRESS 192.168.5.101
- B.add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100 add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.7.100
- C.add path \$ZZWAN.#SW03.1.A, IPADDRESS 192.168.5.100 add path \$ZZWAN.#SW03.1.B, IPADDRESS 192.168.5.101
- D.add path \$SW03.1.A, IPADDRESS 192.168.5.100 add path \$SW03.1.B, IPADDRESS 192.168.7.100

Correct:B

2.Which SCF command changes the node name to \MEXICO?

- A.alter process \$zexp,system_name \mexico
- B.alter subsys \$zzkrn,system_name \mexico
- C.alter process \$zzkrn, system_name \mexico
- D.alter subsys \$zzwan, system_name \mexico

Correct:B

3.Which SCF command changes the alternate name of a disk drive?

- A.rename disk \$data,label \$data5
- B.alter disk \$data,altname \$data5
- C.alter disk \$data,label \$data5
- D.rename disk \$data,altname \$data5

Correct:B

4.Which command adds the ATM subsystem manager?

- A.TACL> ATMASM/, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZKRN.#ZZATM, program \$system.system.ATMASM, startmode kernel/
- B.SCF add process \$ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel
- C.TACL> ATMASM/autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel/
- D.SCF add process \$ZZKRN.#ZZATM, autorestart 10, primarycpu 0, backupcpu 1, hometerm \$ZHOME, name \$ZZATM, program \$system.system.ATMASM, startmode kernel

Correct:D

5.Which SCF command changes the interval between loss of AC power and a power fail condition to 40 seconds?

- A.ALTER PROCESS \$ZZKRN, POWERFAIL_DELAY_TIME 40
- B.ALTER PROCESS \$ZZKRN, SYSTEM_RIDE_THROUGH 40
- C.ALTER SUBSYS \$ZZKRN, POWERFAIL_DELAY_TIME 40
- D.ALTER SUBSYS \$ZZKRN, SYSTEM_RIDE_THROUGH 40

Correct:C

6.What is used to configure MSP users?

- A.TSM service connection
- B.ADDUSER command
- C.TSM low level link
- D.SP tool

Correct:C

7.Which SCF command makes a TRSA participate on the ring as a monitor?

- A.alter PIF T2153.0.A,monitor on
- B.alter ADAPTER T2153.0.A,monitor on
- C.alter PIF T2153.0.A, activemonitor on
- D.alter ADAPTER T2153.0.A, activemonitor on

Correct:C

8.Which SCF command changes the speed of a TRSA from 4Mbps to 16Mbps?

- A.alter ADAPTER,T0153,speed 16
- B.alter PIF,T0153.0.A,speed 16
- C.alter ADAPTER,T0153,ringspeed 16
- D.alter PIF,T0153.0.A,ringspeed 16

Correct:D

9.Which SCF command adds a ServerNet/FX adapter to the Y ring?

- A.add adapter \$ZZFOX.#Y, location (1,1,53), clusternum 5
- B.add LBU \$ZZFOX.#Y, location (1,1,54), clusternum 5
- C.add LBU \$ZZFOX.#Y, location (1,1,53), clusternum 5
- D.add adapter \$ZZFOX.#Y, location (1,1,54), clusternum 5

Correct:B

10.Which SCF command adds a X.25 line to a SWAN concentrator?

- A.add line \$X2501, iopobject \$system.system.x25obj, cpu 0, altpcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown
- B.add line \$ZZWAN.#X2501, iopobject \$system.system.x25obj, cpu 0, altpcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown
- C.add device \$ZZWAN.#X2501, iopobject \$system.system.x25obj, cpu 0, altpcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown
- D.add device \$X2501, iopobject \$system.system.x25obj, cpu 0, altpcpu 1, type (61,63), profile x25prof, recsize 32767, adapter SW01,clip 2, line 0, startdown

Correct:C

11.Which SCF command enables automatic configuration and starting of disk drives?

- A.alter device \$zzsto, autoconfig on, autostart on
- B.alter config \$zzsto, autoconfig on, autostart on
- C.alter process \$zzsto, autoconfig on, autoconfig on, autostart on
- D.alter subsys \$zzsto, autoconfig on, autostart on

Correct:D

12.Which SCF command adds and configures the SANMAN process?

- A.add process \$ZZWAN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- B.add process \$ZZKRN.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- C.add process \$ZZFOX.#ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU FIRSTOF (02,03,04,05),hometerm \$zhome,name \$ZZSMN,startmode system
- D.add process \$ZZSMN,autorestart 10,priority 199,program \$SYSTEM.SYSTEM.SANMAN,CPU

FIRSTOF (02,03,04,05),hometerm \$zhome,startmode system

Correct:B

13.Which SCF command adds the FOX monitor process?

- A.add process \$ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual
- B.add process \$ZZWAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual
- C.add process \$ZZLAN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual
- D.add process \$ZZKRN.#ZZFOX, name \$ZZFOX, type FOXMON, primarycpu 0, backupcpu 3, hometerm \$ZHOME, program \$system.system.foxmon, priority 199, startmode manual

Correct:D

14.Which file must be edited with TCP/IP information when connecting a TSM workstation to a public LAN?

- A.c:\zservice\tsm.ini
- B.\$system.zservice.tsmini
- C.c:\zsupport\tsm.ini
- D.\$system.zsupport.tsmini

Correct:B

15.Which tool changes the system topology from Tetra 8 to Tetra 16?

- A.SP tool
- B.TSM service connection
- C.SCF alter topology
- D.TSM low level link

Correct:D

16.Which TSM tool locates TSM ALARM details?

- A.SP tool
- B.low level link
- C.inventory tool
- D.service connection

Correct:D

17.When installing a NonStop Kernel release, which document determines relevant IPMs?

- A.SPML document
- B.IPM README file list
- C.IPM installation document
- D.recommended IPM list

Correct:D

18.Which devices are replaceable using the guided replacement toolkit? Select TWO.

- A.PMCU
- B.PWRCRU
- C.FESA
- D.CCSA
- E.SNDA

Correct:B E

19.Which components must be configured and started on the customer's TSM console for the GCSC to dial-in?

- A.Carbon Copy and low level link
- B.Carbon Copy and RAS
- C.notification director and RAS
- D.notification director and Carbon Copy

Correct:B

20.The SP tool has identified a faulty X fabric cable between enclosure 1 and enclosure 3. Which connector on the SEB in enclosure 1 is affected?

- A.1
- B.2
- C.3
- D.4

Correct:B