

# *PassTest*

Bessere Qualität , bessere Dienstleistungen!



## Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam** : **HPE6-A15**

**Title** : Aruba Certified Clearpass  
Professional 6.5

**Version** : Demo

1.Refer to the exhibit.

Conditions	Role Name
1. (Authorization:remotelab AD:Department EQUALS Product Management) OR (Authorization:remotelab AD:UserDN EQUALS Executive)	Executive
2. (Authorization:[Endpoints Repository]:OS Family EQUALS IGNORE_CASE Windows)	Vendor
3. (Authorization:[Endpoints Repository]:Category CONTAINS SmartDevice) AND (Authorization:[Endpoints Repository]:OS Family EQUALS IGNORE_CASE Apple)	IOS Device
4. (Authorization:remotelab AD:Department EQUALS HR) OR (Connection:NAD-IP-Address BELONGS_TO_GROUP HQ) OR (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday) (Host:OSType CONTAINS Fedora)	HR Local
5. OR (Host:OSType CONTAINS Redhat) OR (Host:OSType CONTAINS Ubuntu)	Linux User
6. (Connection:NAD-IP-Address BELONGS_TO_GROUP Remote NAD)	Remote Employee

An AD users department attribute value is configured as "QA". The user authenticates from a laptop running MAC OS X.

Which role is assigned to the user in ClearPass?

- A. HR Local
- B. Remote Employee
- C. [Guest]
- D. Executive
- E. IOS Device

**Answer: B**

2.Refer to the exhibit.

Filter Name	Attribute Name	Alias Name	Enabled As
1. Authentication	dn	UserDN	-
	department	Department	Role, Attribute
	title	Title	Attribute
	company	company	-
	memberOf	memberOf	Role, Attribute
	telephoneNumber	Phone	Attribute
	mail	Email	Attribute

Based on the Attribute configuration shown, which statement accurately describes the status of attribute values?

- A. Only the attribute values of department and member of can be used in role mapping policies.
- B. The attribute values of department title, member of, telephone Number, and mail are directly applied as ClearPass roles.
- C. Only the attribute value of company can be used in role mapping policies, not the other attributes.
- D. The attribute values of department and member Of are directly applied as ClearPass roles.
- E. only the attribute values of title, telephone Number, and mail can be used in role mapping policies.


**Answer: C**

3.Which components can use Active Directory authorization attributes for the decision-making process? (Select two.)

- A. Profiling policy
- B. Certificate validation policy
- C. Role Mapping policy
- D. Enforcement policy
- E. Posture policy

**Answer:** AB

4.Refer to the exhibit.



Based on the Authentication sources configuration shown, which statement accurately describes the outcome if the user is not found?

- A. If the user is not found in the remotelab AD, but is present in the local user repository, a reject message is sent back to the NAD
- B. if the user is not found in the local user repository but is present in the remotelab AD, a reject message is sent back to the NAD
- C. If the user is not found in the local user repository a reject message is sent back to the NAD
- D. if the user is not found in the local user repository and remotelab AD, a reject message is sent back to the NAD
- E. If the user is not found in the local user repository a timeout message is sent back to the NAD

**Answer:** AB

5.Which authorization servers are supported by ClearPass? (Select two)

- A. Aruba Controller
- B. LDAP server
- C. Cisco Controller
- D. Active Directory
- E. Aruba Mobility Access Switch

**Answer:** CD