

# *PassTest*

Bessere Qualität , bessere Dienstleistungen!



## Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

**Exam** : **NS0-120**

**Title** : Data ONTAP Advanced  
Exam

**Version** : Demo

1.Which of the following commands adds the share "netapp" to the /vol/vol2/home directory?

- A.cifs shares dd netapp /vol/vol2/home cifs shares ?dd netapp /vol/vol2/home
- B.cifs shares dd /vol/vol2/home/netapp cifs shares ?dd /vol/vol2/home/netapp
- C.cifs shares dd netapp /vol/vol2 cifs shares ?dd netapp /vol/vol2
- D.None of the above

Answer:A

2.Which of the following definitions best represents the function of the cifs setup command?

- A.Displays the mount point of all shared directories
- B.Displays the names of all mounted directories on the storage appliance
- C.Displays the prompts for CIFS configuration information
- D.Displays a list of the users on the storage appliance

Answer:C

3.Which one of the following commands is NOT a good command for troubleshooting connectivity problems from the storage appliance console?

- A.ping
- B.ifstat
- C.netdiag
- D.iostat

Answer:D

4.If an NFS client attempts and fails to access a file opened by a CIFS application, which of the following commands would you use to view the connection?

- A.cifs audit
- B.cifs sessions
- C.cifs shares
- D.cifs lookup

Answer:B

5.Which one of the following commands best displays the statistics for the network interface?

- A.netstat
- B.ifconfig
- C.sysstat
- D.ifstat

Answer:D

6.Which option should be used with the nfsstat command to assist in decoding export and mountd errors?

- A.nfsstat -d
- B.nfsstat -z
- C.nfsstat -c
- D.nfsstat -t

Answer:A

7.Which one of the following commands would you use to set up the network interface?

- A.ifstat
- B.ping
- C.ifconfig
- D.traceroute

Answer:C

8.If a qtree security style is UNIX, CIFS client file access is determined by \_\_\_\_\_ .

- A.NT ACLs
- B.UNIX permissions, and if the CIFS user name can be mapped to a UNIX user name
- C.The last client to set permissions
- D.(Not Allowed) A CIFS client cannot access files in a qtree with a security style of UNIX.

Answer:B

9.If the client is a CIFS client, locks are \_\_\_\_\_.

- A.Advisory
- B.Mandatory
- C.Ordered
- D.Optional

Answer:B

10.Which option of the exportfs command will temporarily export a resource while ignoring the options specified in the /etc/exports file?

- A.exportfs exportfs ?
- B.exportfs -i

Answer:B

11.Which of the following statements would NOT apply to an entry in the /etc/exports file regarding exporting directories, qtrees, and volumes?

- A.Export each volume separately.
- B.The storage appliance must resolve host names.
- C.Export ancestors and their descendants.
- D.Export /vol.

Answer:D

12.Which one of the following is NOT part of the UNIX security style?

- A.GID
- B.Other
- C.SID
- D.UID

Answer:C

13.NTFS allows file access based on \_\_\_\_\_.

- A.NT ACLs and UNIX permissions
- B.SID and password
- C.NT ACLs and SID
- D.UNIX permissions

Answer:C

14.To determine if a problem you are experiencing is known to NetApp, use the NOW site \_\_\_\_\_ utility.

- A.System Configuration Guide
- B.Bugs Online
- C.Release Comparison
- D.Ethereal

Answer:B

15.Which TWO of the following are Data ONTAP commands for gathering performance information?

- A.sio\_ntap\_soll

B.sysstat

C.perfstat

D.nfsstat

Answer: B D