

PassTest

Bessere Qualität , bessere Dienstleistungen!



Q&A

<http://www.passtest.de>

Einjährige kostenlose Aktualisierung

Exam : 000-120

**Title : Academic Associate: IBM i 7
Administration**

Version : Demo

1.Programmers are having issues with the RPG compiler, and it has been determined that a fix must be ordered. Which type of PTF is most appropriate?

- A. Fix groups
- B. Service packs
- C. Individual fixes
- D. Cumulative PTF packages

Answer: C

2.An administrator plans to use a single LPAR and Management Central to manage PTFs for other systems in the enterprise. What is the most important consideration when deciding the baseline.?

- A. All systems are the same OS level.
- B. All systems are at the same PTFGRP level
- C. All systems are at the same test fix level.
- D. All systems are at the same Cumulative level

Answer: A

3.IBM i provides the capability to use digital certificates to sign objects. What objects, other than Programs (*PGM). Service programs (*SRVPGM) and Modules (*MODULE) may be signed?

- A. Libraries(*LIB)
SQL Packages (*SQLPKG)
- B. Query definitions (*QRYDFN)
Journals (*JRN)
- C. Populated save files (*FILE SAVF)
Commands (*CMD)
- D. Message queues (*MSGQ)
Populated data Queues (*DTAQ)
- E. Physical files (*FILE PF-DTA)
User Profiles (*USRPRF)

Answer: A

4.User HOK tries to login and received the message "User profile cannot sign on." What is the most likely cause for the error?

- A. The user's profile has been deleted.
- B. The user's profile has been disabled.
- C. The OMAXSIGN system value is set to 1.
- D. The OMAXSGNACN system value is set to 1

Answer: D

5.What is the purpose of System Managed Access Path Protection (SMAPP)?

- A. To prevent excessive I/O queuing when updating access paths
- B. To automatically save file access data for security auditing
- C. To improve application run time by providing[™] short cut to data
- D. To reduce recovery time by journaling changes in access path size and location

Answer: B